





#6-32 X 1-1/4 STUD MIN
(TYP. 4 PLACES)
CUT-OUT TOLERANCE:
+.020/- .000


LED DIGITAL INDICATOR DISPLAY

1-DIGIT 2-INCH


ESIDPI1

ELEVATOR SYSTEMS, INC

8-14-03




TYPICAL LENS
CUT-OUT
DIMENSIONS
LENS BY FIXTURE
MANUFACTURER



#6-32 X 1-1/4 STUD MIN
(TYP. 4 PLACES)
CUT-OUT TOLERANCE:
+.020/- .000

LED DIGITAL INDICATOR DISPLAY 1-DIGIT 1-INCH

ESIDPI2 *ELEVATOR SYSTEMS, INC* 8-14-03





LED DIGITAL INDICATOR DISPLAY 2-DIGIT 1/2-INCH

ESIDPI3

ELEVATOR SYSTEMS, INC

8-14-03



#6-32 X 1-1/4 STUD MIN
(TYP. 4 PLACES)
CUT-OUT TOLERANCE:
+ .020 /-.000



LED DIGITAL INDICATOR DISPLAY

2-DIGIT 2-INCH

ESIDPI5

ELEVATOR SYSTEMS, INC

8-14 -03



#6-32 X 1-1/4 STUD MIN
(TYP. 4 PLACES)
CUT-OUT TOLERANCE:
+.020/- .000

LED DIGITAL INDICATOR DISPLAY HORIZ 1" / 1 OR 2 DIGIT

ESIDPI6

ELEVATOR SYSTEMS, INC

6-11-04

6-11-04

ESIDPI6